




PART NUMBER	HEAT TREAT	MATERIAL		WEIGHT APPROX	YPF ARGENTINA CRATING DRAWING PRODUCTION TREE 5-1/8" 15000 psi FLANGE BOTTOM 5-1/8" 10000 psi (VERTICAL RUN) X 2-9/16" 10000 psi (HORIZONTAL RUN) WITH 2-9/16" POSITIVE CHOKE AND SAFETY SYSTEM PACKAGE AND 5-1/8" 10000 BALL SCREW OPERATED VALVES	DWG. No.
		SPEC	DWG No	1840 lbs.		RB-43248
30204364				SCALE 0.180		REV: 0 SHEET 1 OF 3




NOTES:
1. DEFAULT UNIT LENGTH IS INCHES.
2. DEFAULT UNIT IN [] IS MILLIMETERS.
3. ALL DIMENSIONS ARE FOR REFERENCE ONLY.

				DWN.	GAK	03-13-23	ALL DIMENSIONS IN INCHES UNLESS OTHERWISE NOTED: .X +/- .1 .XX +/- .02 .XXX +/- .005	ANGLE +/- 1/2° RADI .05 T.I.R. .010		THIS DOCUMENT IS A PROPERTY OF STREAM-FLO INDUSTRIES LTD. AND NOT TO BE USED IN ANY WAY PREJUDICIAL TO THEIR INTERESTS. ALL PROPRIETARY RIGHTS RESERVED.		4505 - 74 AVE. EDMONTON, ALTA. CANADA
				CHCK.	ND	03-13-23						
				APPR.	RM	03-14-23						
0												
REV.	EC	BY	DATE		BY	DATE						


PART NUMBER	HEAT TREAT	MATERIAL		WEIGHT APPROX	YPF ARGENTINA CRATING DRAWING PRODUCTION TREE 5-1/8" 15000 psi FLANGE BOTTOM 5-1/8" 10000 psi (VERTICAL RUN) X 2-9/16" 10000 psi (HORIZONTAL RUN) WITH 2-9/16" POSITIVE CHOKE AND SAFETY SYSTEM PACKAGE AND 5-1/8" 10000 BALL SCREW OPERATED VALVES	DWG. No. RB-43248
		SPEC	DWG No	3269 lbs.		
30204364				SCALE 0.120		REV: 0 SHEET 2 OF 3




NOTES:
 1. DEFAULT UNIT LENGTH IS INCHES.
 2. DEFAULT UNIT IN [] IS MILLIMETERS.
 3. ALL DIMENSIONS ARE FOR REFERENCE ONLY.

				DWN.	GAK	03-13-23	ALL DIMENSIONS IN INCHES UNLESS OTHERWISE NOTED: .X +/- .1 250 .XX +/- .02 250 .XXX +/- .005 125 ANGLE +/- 1/2° RAD II .05 T.I.R. .010	THIS DOCUMENT IS A PROPERTY OF STREAM-FLO INDUSTRIES LTD. AND NOT TO BE USED IN ANY WAY. PREJUDICIAL TO THEIR INTERESTS. ALL PROPRIETARY RIGHTS RESERVED.	 4505 - 74 AVE. EDMONTON, ALTA. CANADA
				CHCK.	ND	03-13-23			
				APPR.	RM	03-14-23			
0									
REV.	EC	BY	DATE		BY	DATE			

PART NUMBER	HEAT TREAT	MATERIAL		WEIGHT APPROX	YPF ARGENTINA CRATING DRAWING PRODUCTION TREE 5-1/8" 15000 psi FLANGE BOTTOM 5-1/8" 10000 psi (VERTICAL RUN) X 2-9/16" 10000 psi (HORIZONTAL RUN) WITH 2-9/16" POSITIVE CHOKE AND SAFETY SYSTEM PACKAGE AND 5-1/8" 10000 BALL SCREW OPERATED VALVES	DWG. No.
		SPEC	DWG No	1347 lbs.		RB-43248
30204364				SCALE 0.110		REV: 0 SHEET 3 OF 3



NOTES:
 1. DEFAULT UNIT LENGTH IS INCHES.
 2. DEFAULT UNIT IN [] IS MILLIMETERS.
 3. ALL DIMENSIONS ARE FOR REFERENCE ONLY.

				DWN.	GAK	03-13-23	ALL DIMENSIONS IN INCHES UNLESS OTHERWISE NOTED: .X +/- .1 250 .XX +/- .02 250 .XXX +/- .005 125 ANGLE +/- 1/2° RAD II .05 T.I.R. .010	 THIS DOCUMENT IS A PROPERTY OF STREAM-FLO INDUSTRIES LTD. AND NOT TO BE USED IN ANY WAY PREJUDICIAL TO THEIR INTERESTS. ALL PROPRIETARY RIGHTS RESERVED.	4505 - 74 AVE. EDMONTON, ALTA. CANADA
				CHCK.	ND	03-13-23			
				APPR.	RM	03-14-23			
0									
REV.	EC	BY	DATE		BY	DATE			